

# X5S (PoE)

## 5MP PoE NVR with HDMI/VGA Output

The X5S 5MP PoE NVR features advanced video compression technology and supports up to 4 or 8 units of 5-Megapixel PoE cameras.

### **Key Features**



HDMI/VGA Output

5MP

Supports 5-Megapixel Cameras



Supports ONVIF Conformant Camera



Up to 8TB Storage

H.265

Supports H.265



Support up to 4/8 PoE Cameras



## Records More Images with Less Storage

The X5S provides faster video streaming and stores more footage than ever thanks to H.265 video compression technology.


H.264 (Mainstream video compression)



Required bandwidth: 100%

Required storage space: 100%

H.265 (Upgraded video compression)



Required bandwidth: 50%

Required storage space: 50%

## **Captures Details Beautifully**

Save your high-quality recordings with X5S. It supports 5-Megapixel resolution when viewing live and playing back video, so nothing escapes the eye.



## Specifications Model X5S-4P,X5S-8P

#### **Network Parameter**

PoE channels 4/8

Uplink Port 1FE/ 1GE

Standard Power 100m

Supply Distance

PoE Protocol

Maximum Power 250m

Supply Distance (UTP)

Wired Access Bandwidth 40mbps/ 100mbps

#### **Video Output**

VGA 1 Channel,

Resolution up to: 1920\*1080/60Hz

HDMI 1 Channel

resolution up to: 1920\*1080/60Hz

Audio Output 1, RCA interface (Impedance:  $1k\Omega$ )

802.3af

#### Audio/Video Codec

Play Back Number 4 channels , (1080p/20fps or 5MP low

frame rate) (X5S-4P)/

8 channels, 4 (1080p/15fps) or 4/8(5MP

low frame rate) (X5S-8P)

Recording Resolution 5MP/4MP/3MP/1080p/UXGA/720p/V-

GA/4CIF/2CIF/CIF/QCIF

Video Compression H.265/H.264

Decode Playback Support 4\*1080P/ Support 8\*1080P

#### Video Record Management

Video Capture Manual video recording; dynamic detection video;

regular video recording; alarm recording

Backup Mode Support hard disk backup, Inter-net application backup

#### HDD

Type One Built-in sata port

Capability Support 1TB to 8TB 3.5inch HDD

#### **External Interface**

Audio Output Support
Hardware Reset Support
USB2.0 Interface 2

#### **Power Consumption**

Standby ≤6W

#### Dimensions (mm)

length x width x high (mm) 235x 270x44.5mm

#### Weight

Net Weight 900g

## Package Contents:

- Device
- Mouse
- Screw Kit (only available in the SKU without a hard disk)
- 1.5 Meters Power Adapter
- Quick Start Guide

### Certificates

CE/FCC/UL/REACH/WEEE

## Requirements

- Operating Conditions: 0°C - 40°C, humidity 90% or less

Specifications are subject to change without notice. EZVIZ is a registered trademark of Hangzhou EZVIZ Network Co., Ltd. Other brands and product names are trademarks or registered trademarks of their respective holders.